



A3 Portable Scanner



High response rate

High resolution video display

Dual camera

Easy to use:

-Simply place the document or actual object under the camera, application software through random "shrink enlarged , arbitrary rotation" and other tools to achieve high resolution video display.




USB powered
Multi-angle shooting



Product features:

- Multi-angle shooting
Hose design, 360 degree rotation
- Two cameras
Can capture different objects at the same time
- Laser positioning
Using a laser beam is convenient to identify the location of the shooting items
- USB powered
USB powered, no external power supply,



Small size:

Size:455X470X420 (with base pad)

Size:150X150X420(without base pad)

Parameters:

Model	GK-3301B	GK-3301D
One Camera	Main camera: 2 mega pixel	Main camera: 5 mega pixel
Shooting area	A3	A3
Main camera	1600*1200	2592*1944
Secondary camera	No	No
Scanning image format	JPG	JPG
Output document format	Pdf, doc, txt, excel, ppt, E-mail	
Recording Video Format	AVI	
Light compensation	Two light	
Manage/edit pictures	Exposure, sharpness, color, brightness, saturation, clarity, grayscale, color, contrast, white balance, etc	
With the base size	460*360*670mm	460*360*670mm
Without the base size	150*150*670mm	150*150*670mm
CMOS image sensor	1/3 inch coms sensors	
Image color and display	24 colors	

Parameters:

Model	GK-XY3301B	GK-XY3301D
Two Camera	Main camera: 2 mega pixel Secondary: 2 mega pixel	Main camera: 5 mega pixel Secondary: 2 mega pixel
Shooting area	A3	A3
Main camera	1600*1200	2592*1944
Secondary camera	1600*1200	1600*1200
Scanning image format	JPG	JPG
output document format	Pdf, doc, txt, excel, ppt, E-mail	
Recording Video Format	AVI	
Light compensation	Single light	
Manage/edit pictures	Exposure, sharpness, color, brightness, saturation, clarity, grayscale, color, contrast, white balance, etc	
With the base size	460*360*670mm	460*360*670mm
Without the base size	150*150*670mm	150*150*670mm
CMOS image sensor	1/3 inch coms sensors	
Image color and display	24 colors	

Product Display

870_g




Standard accessories


Position pad

USB cable

CD-ROM



Scanner software



1 Shortcut key

2 Image adjustment


3 Scan button

4 Image screen

How to use it?

Win7,Win 8
Vista ,XP

USB powered



1



Install the software

Insert CD-ROM, follow the instruction to install scanner software

2



Prepare document

Place the document under the camera

3



Scan

Click the "Scan" button, get started to scan document